

ORDER INVOICE WITH ENGINEERING BREAKDOWN [E4M03393]

OCTOBER 19, 2017

(E4M03393)-ENGINE (F3A01824)-GENERATOR (N4E00955)
-GENSET

For Help Desk Phone Numbers [Click here](#)



Caution Ordering Parts from TMI Order Invoice with Engineering Breakdown

Order Invoice with Engineering Breakdown information is provided by the orders system, once you click breakdown of a part, TMI pulls the information from the Engineering Data System (EDS).

EDS is not a manufacturing bill of material system but a engineering part in effect system. TMI uses the built date and calls EDS to pull the part in effect at that time.

Recently, TMI added an as manufactured tab. This tab provides the consist as reported from the engine factory. This data is limited but growing for new manufactured engines. To see an example enter "WRH00104"

To validate you are ordering a correct part, TMI encourages you to contact Morton Parts. 800-566-7782 or tech_support@cat.com

The below option will email full breakdown of the serial number

Excel PDF

[FullBreakDown](#)

Sales Model:
C4.4

Invoice Number:LSN4
502730

Dealer:
D580

S.O. Number:
CKLVJ00

Invoice Date: 2007-01-
23

[Feature Code](#)

[Part Numbers](#)


[Help](#)

Feature Codes [Top](#)

31 results found, displaying 1 to 31



| Reference Number | Eng Chg | Quantity | ASM | LESS | Set Type | Reference Drawing | Description |
|-------------------------|---------|----------|-----|------|----------|----------------------------|--------------------------------|
| NAC063P | F | 1 | I | | | Drawing... | D100-4. |
| AVR14 | F | 1 | I | | | | AREP EXCITATION SYSTEM |
| CAN | F | 1 | I | | | | CANOPIED SILENCER SYSTEM |
| CAT | F | 1 | I | | | | CAT YELLOW / BLACK |
| CAWBE | F | 1 | I | | | | WEATHERPROOF ENCLOSURE (E) |
| EMCP32 | F | 1 | I | | | | EMCP3.2 COMMON CONTROL PANEL |
| ENGLISH | F | 1 | I | | | | ENGLISH LANGUAGE |
| FCUL2C | F | 1 | I | | | | UL LISTED FUEL TANK 24HR (C) |
| FSS2S | F | 1 | I | | | | LOW FUEL LEVEL ALARM STD |
| GOVE5S | F | 1 | I | | | | ELEC ADJUST ISOCH GOV (STD) |
| MCM9 | F | 1 | S | | | Drawing... | ANNUN 16 CH |
| MCMBOX | F | 1 | | | | | ENCLOSURE FOR USE WITH MCM9 |
| NFPA | F | 1 | I | | | | NFPA 110 UPGRADE |
| PAA1 | F | 1 | I | | | | LOCAL ALARM HORN C/W MUTE |
| PBC3UL | F | 1 | I | | | | BATTERY CHARGER UL 3A |
| PFS2S | F | 1 | I | | | | PNL CIRCUIT FS2 LOW FUEL ALM S |

31 results found, displaying 1 to 31

| Reference Number | Eng Chg | Quantity | ASM | LESS  | Set Type | Reference Drawing | Description |
|-------------------------|---------|----------|-----|--|----------|-------------------|------------------------------|
| PGR1 | F | 1 | I | | | | VOLT FREE CONTACT GENSET RUN |
| PSV1 | F | 1 | I | | | | VOLTAGE ADJUST POTENTIOMETER |
| SHT2 | F | 1 | I | | | | SHUNT TRIP 12/24V CB |
| TSTR | F | 1 | I | | | | FACTORY TEST REPORT |
| VAC120 | F | 1 | I | | | | 120 |
| VOP610F | F | 1 | I | | | | VOLTAGE OPTION |
| WCA1 | F | 1 | I | | | | LOW COOLANT TEMP ALARM |
| WHH | F | 1 | I | | | | COOLANT HEATER |
| WSS1 | F | 1 | I | | | | LOW COOLANT SHUTDOWN CIRCUIT |
| MSEPGGN | F | 1 | I | | | | GENERAL EPG |
| MSCEC72 | F | 1 | I | | | | COMMERCIAL BUSINESSES |
| MWCODEF | F | 1 | I | | | | STANDBY POWER |
| KVA0125 | F | 1 | I | | | | 125 KVA W/FAN |
| STANDBY | F | 1 | I | | | | STANDBY RATING |
| USOLY05 | F | 1 | I | | | | USOLY05 |

Part Numbers [Top](#)

91 results found, displaying 1 to 91

| Reference Number | Eng Chg | Quantity | ASM | LESS  | Set Type | Description | Reference Drawing | SIS Part Diagram  |
|------------------|---------|----------|-----|--|----------|------------------------------------|----------------------------|--|
| DK4783 | 02 | 1 | I | | | ENGINE AR-C4.4 | | View Diagram |
| 2911765 | | 1 | I | | | GENERAL AR | | View Diagram |
| 2910360 | | 1 | I | | | ENGINE AR-C4.4 PRIME | | View Diagram |
| 5P2506 | | 1 | S | | | LITERATURE - ENGLISH | Drawing... | View Diagram |
| 2527405 | | 1 | S | | | ***** TEST - GEN ELE SYS LE * | | View Diagram |
| 3L0284 | | 1 | S | | | *****TEST - PKG GEN SET***** | Drawing... | View Diagram |
| 2654854 | | 1 | I | | | MOUNTING GP-VIB | | View Diagram |
| 2631289 | | 1 | I | | | CABLE AS | | View Diagram |
| 2631317 | | 1 | I | | | CABLE AS | | View Diagram |
| 2646909 | | 1 | I | | | FILM GP | | View Diagram |
| 2692535 | | 1 | I | | | FILM GP | | View Diagram |
| 2683065 | | 1 | I | | | DRAIN GP-OIL | | View Diagram |
| 2679590 | | 1 | I | | | PLATFORM GP-RAD | | View Diagram |
| 2702928 | | 1 | I | | | RADIATOR GP-STAY | | View Diagram |
| 2683070 | | 1 | I | | | PIPE-AIR-CHARGER | | View Diagram |
| 2683057 | | 1 | I | | | CLEANER GP-AIR | | View Diagram |
| 2679603 | | 1 | I | | | SENDER GP | | View Diagram |
| 2679634 | | 1 | I | | | PANEL GP-STAND | | View Diagram |
| 2679663 | | 1 | I | | | GUARD GP-FAN | | View Diagram |
| 2686170 | | 1 | I | | | GUARD GP-STONE | | View Diagram |
| 2683058 | | 1 | I | | | DRAIN GP-COOL | | View Diagram |
| 1195148 | | 9 | I | | | COOLANT-LONG LIFE- BULK-1 LITER | | View Diagram |

| | | | | | |
|-----------|---|---|---|----------------------------------|---|
| 2585304 | 1 | I | | RELAY GP | View Diagram |
| 2668845 | 1 | I | | DOOR GP | View Diagram |
| 2668849 | 1 | I | | CONTROL GP | View Diagram |
| 2668828 | 1 | I | | PANEL GP-ELEK | View Diagram |
| 2663201 | 1 | I | | TERMINAL AS | View Diagram |
| 2698063 | 2 | I | | WIRING GP | View Diagram |
| 2057860 | 1 | I | | MOUNTING GP - 17 DIGIT PIN | Drawing... View Diagram |
| 2662778 | 1 | I | | PIPE AS | View Diagram |
| 2671760 | 1 | I | | FITTING GP - EXH | View Diagram |
| 2729638 | 1 | I | | WIRING GP | View Diagram |
| 2842440 | 1 | I | | DIAGRAM-WIRING | View Diagram |
| 2842441 | 1 | I | | DIAGRAM-WIRING | View Diagram |
| 2842442 | 1 | I | | DIAGRAM-WIRING | View Diagram |
| 2679622 | 1 | I | | CABLE GP-EARTH | View Diagram |
| 2679605 | 1 | I | | COUPLING GP | View Diagram |
| DK2454 01 | 1 | I | | GENERATOR AR - OPTIONAL-3024B | View Diagram |
| 2679913 | 1 | I | | GENERATOR AR-POWER | View Diagram |
| DK3203 01 | 1 | I | | CIRCUIT BREAKER - 3 PHASE | View Diagram |
| 2663813 - | 1 | I | | BREAKER GP | View Diagram |
| 2662943 - | 1 | I | | COVER GP | View Diagram |
| 2662730 - | 1 | I | | MOUNTING GP | View Diagram |
| 2662152 - | 1 | I | | HARNESS AS | View Diagram |
| 2747226 - | 1 | I | | MOUNTING GP-ALT | View Diagram |
| 2748965 - | 1 | I | | TERMINAL GP | View Diagram |
| 2748966 - | 1 | I | | TERMINAL GP | View Diagram |
| DK3323 00 | 1 | I | | TRANSFORMER GP | View Diagram |
| 2690458 - | 1 | I | | TRANSFORMER GP | View Diagram |
| DK1933 01 | 1 | I | | AUTHORIZED APPROVAL NUMBER | View Diagram |
| 2615132 - | 1 | I | | CONTROL GP | View Diagram |
| 2864715 - | 1 | I | | DIAGRAM-WIRING | View Diagram |
| 2662150 - | 1 | I | L | HARNESS AS | View Diagram |
| DK3577 01 | 1 | I | | REMOTE ANNUNCIATOR | View Diagram |
| 2671226 - | 1 | I | | CONTROL GP | View Diagram |
| 2678808 - | 1 | I | | WIRING DIAGRAM | View Diagram |
| DK3432 00 | 1 | I | | REMOTE ANNUNCIATOR | View Diagram |
| 2743863 - | 1 | I | | PANEL GP | View Diagram |
| DK2928 00 | 1 | I | | ALARM HORN | View Diagram |
| 2668852 - | 1 | I | | CONTROL GP | View Diagram |
| DK1910 00 | 1 | I | | AUTHORIZED APPROVAL NUMBER | View Diagram |
| | 1 | I | | CONTROL GP | View Diagram |

| | | | | | | | | | |
|---------|-----------|---|---|---|-----------------------------|----------------------------|--|--|------------------------------|
| 2668864 | - | | | | | | | | |
| | DK1911 00 | 1 | I | | NFPA UPGRADE | | | | View Diagram |
| | DK6948 01 | 1 | I | | OPTION CHASSIS | | | | View Diagram |
| 2668854 | - | 1 | I | | MOUNTING GP | | | | View Diagram |
| | DK2359 00 | 1 | I | | LOW COOLANT LEVEL SHUTDOWN | | | | View Diagram |
| 2679599 | - | 1 | I | | COOLANT GP | | | | View Diagram |
| | DK2360 00 | 1 | I | | LOW COOLANT TEMP ALARM | | | | View Diagram |
| 2699046 | - | 1 | I | | ALARM GP-TEMP | | | | View Diagram |
| | DK2362 00 | 1 | I | | VOLTS ADJUST POTENTIOMETER | | | | View Diagram |
| 2668869 | - | 1 | I | | CONTROL GP | | | | View Diagram |
| | DK2375 01 | 1 | I | | JACKET WATER COOLANT HEATER | | | | View Diagram |
| 2683063 | - | 1 | I | | COOLANT GP-HEAT | | | | View Diagram |
| | DK3422 00 | 1 | I | | SHUNT TRIP | | | | View Diagram |
| 2637555 | - | 1 | I | | SHUNT TRIP | | | | View Diagram |
| | DK3362 02 | 1 | I | | INTEGRAL FUEL TANK BASE | Drawing... | | | View Diagram |
| 2679597 | - | 1 | I | | MOUNTING GP | | | | View Diagram |
| 2679591 | - | 1 | I | | BASE GP - TANK | | | | View Diagram |
| 2679627 | - | 1 | I | | PLATE GP - CLOSING | | | | View Diagram |
| 2702888 | - | 1 | I | | LINES GP - FUEL | | | | View Diagram |
| 2679655 | - | 1 | I | L | PLATE GP - CLOSING | | | | View Diagram |
| | DK3364 02 | 1 | I | | BATTERY CHARGER - 3 AMP | | | | View Diagram |
| 2686180 | - | 1 | I | | MOUNTING GP-CHAR | | | | View Diagram |
| 2854981 | - | 1 | I | | TERMINAL GP | | | | View Diagram |
| 2718328 | - | 1 | I | | MTG GP PANEL STAND | | | | View Diagram |
| 2669668 | - | 1 | I | | CHARGER-BATTERY | | | | View Diagram |
| 2665582 | - | 1 | I | L | PANEL GP-STAND | | | | View Diagram |
| | OP1530 | 1 | I | | AUTHORIZED APPROVAL NUMBER | | | | View Diagram |
| | OV1065 | 1 | I | | END USE: GENERAL EPG | | | | View Diagram |
| | DK2116 00 | 1 | I | | ENGLISH LANGUAGE OPTION | | | | View Diagram |
| 2546314 | - | 1 | I | | ELEK GP | | | | View Diagram |

Caterpillar Confidential: **Green**

Content Owner: Commercial Processes Division

Web Master(s): [PSG Web Based Systems Support](#)

Current Date: 10/19/2017 8:51:50 PM

© Caterpillar Inc. 2017 All Rights Reserved.

[Data Privacy Statement](#).