



Customer: CSDG _____
 Address: _____
 City/ State/ Zip: _____
 Contact: _____
 Phone: _____

R#: 18248
 Test Date 2/13/2025
 unit #4661

Engine Make/ Model: CUMMINS. VTA- 28G5 _____
 Engine Spec/ Serial: 25277283 _____
 Unit Make/ Model: cummins DFGB-5554650 _____
 Unit Spec/ Serial: D020361749 _____

Voltage: 480 _____
 Amperage: 723 _____
 Kilowatts: 600 _____
 Power Factor 1 _____

| | 5 Min. | 15 Min. | 30 Min. | 45 Min. | 1 Hour | Cool Down |
|----------------------|--------|---------|---------|---------|--------|-----------|
| Eng Hours | 230.9 | 231 | 231.2 | 231.5 | 231.8 | |
| Hertz/Cycles | 60 | 60 | 60 | 60 | 60 | |
| Voltage PH1 | 480 | 480 | 480 | 480 | 480 | |
| PH2 | 480 | 480 | 480 | 480 | 480 | |
| PH3 | 480 | 480 | 480 | 480 | 480 | |
| Amperage PH1 | 741 | 741 | 741 | 741 | 741 | |
| PH2 | 742 | 742 | 742 | 742 | 742 | |
| PH3 | 737 | 737 | 737 | 737 | 737 | |
| Kilowatts | 614 | 614 | 614 | 614 | 614 | 0 |
| Oil Pressure | 81 | 69 | 66 | 66 | 65 | |
| Oil Temperature | 115°F | 180°F | 204°F | 205°F | 205°F | |
| Coolant Temperature | 137°F | 183°F | 183°F | 183°F | 183°F | |
| Man Vac./Press. L/B | | | | | | |
| Man Vac./Press. R/B | | | | | | |
| L/B Exhaust Temp | | | | | | |
| R/B Exhaust Temp | | | | | | |
| Exhaust Temperature | | | | | | |
| DC Voltage | 27.4 | 27.4 | 27.4 | 27.4 | 27.4 | |
| Natural Gas Pressure | | | | | | |
| Diesel Fuel Level | | | | | | |
| Room Temperature | | | | | | |
| Ambient Temperature | 13°F | 13°F | 13°F | 13°F | 13°F | |

Cable Length: _____

Cable/ Leg: _____

Connection Point: _____

Technician Signature: _____

Customer Signature: _____

